









**SCAFFOLD
ESSENTIALS**

PRODUCT CATALOGUE 2025

Tel: 07446 208307
sales@scaffoldessentials.co.uk
www.scaffoldessentials.co.uk

			
Galvanised Scaffolding tube 48.3mm diameter 3.2mm wall - 5ft long	Galvanised Scaffolding tube 48.3mm diameter 3.2mm wall - 8ft long	Galvanised Scaffolding tube 48.3mm diameter 3.2mm wall - 10ft long	Galvanised Scaffolding tube 48.3mm diameter 3.2mm wall - 13ft long
From 99p per ft	From 99p per ft	From 99p per ft	From 99p per ft
		S355J0H Hot-Dip Galvanised Scaffold Tube – EN10219 Specification Our S355J0H Hot-Dip Galvanised Scaffold Tube is manufactured to the EN10219 standard, ensuring exceptional strength, durability, and corrosion resistance for demanding construction and industrial applications. Made from 3.2mm high-yield steel S355J0H , which is lighter than the standard 4mm steel, reducing transport costs . Perfect for safe and reliable scaffolding systems , our hot-dip galvanised tubes provide a robust and corrosion-resistant solution for all your construction needs.	
Galvanised Scaffolding tube 48.3mm diameter 3.2mm wall - 16ft long	Galvanised Scaffolding tube 48.3mm diameter 3.2mm wall - 21ft long		
From 99p per ft	From 99p per ft		

CLAMPS & FITTINGS



Class B Drop-Forged Double Couplers – EN74-1 Standard

From £1.46



Class A Drop-Forged Swivel Couplers – EN74-1 Standard

From £1.62

All our clamps and fittings are designed to meet the **EN74-1 standard**, ensuring **strength, safety, and reliability** for scaffolding applications. Allowing **48.3mm scaffold tubes to be connected at any angle**, providing flexibility in scaffold construction.

Ideal for **scaffolding, temporary structures, and industrial use**.

Built for **safety and adaptability**, it offers a **strong and flexible solution** for all scaffolding projects.



Scan me